

Web Images Maps News Shopping Gmail more ▾

Sign in

Google

mobile and terminal and software and provider and hash and identifier

Search

Web Results 1 - 20 of about 198,000 for mobile and terminal and software and provider and hash and identifier

SOFTWARE INTEGRITY TEST IN A MOBILE TELEPHONE - Patent EP1561301

... a second identifier, associated with the terminal and the first hash value via the mobile communication system to a provider of the software module, ...
www.freepatentsonline.com/EP1561301.html - 34k - Cached - Similar pages

MOBILE SOFTWARE TERMINAL IDENTIFIER - Patent WO/2007/062514

More particularly, exemplary embodiments of this invention relate to a mobile software terminal identifier which is generated as a hash value and used to ...
www.freepatentsonline.com/WO2007062514.html - 65k - Cached - Similar pages
[More results from www.freepatentsonline.com »](#)

(WO/2004/042998) SOFTWARE INTEGRITY TEST IN A MOBILE TELEPHONE

A second identifier, which is associated with the terminal in the form of, IMEI of the target mobile terminal and is signed by the software provider. ...
www.wipo.int/pctdb/en/wo.jsp?wo=2004042998&IA=WO2004042998&DISPLAY=DESC - 33k
 - Cached - Similar pages

Mobile Electronic Signatures: Progression from Mobile Service to ...

the PC, the signature application then calculates a hash ... mobile software providers to deploy mobile ... OMTP – Open Mobile Terminal Platform [18] ...
ieeexplore.ieee.org/iel5/4278534/4278535/04278550.pdf?tp=&isnumber=4278535&arnumber=4278550 - Similar pages

An Approach of Program Analysis Prevention for Information Protection

original program to hash-password and hash-y respectively of the service provider. His mobile terminal accesses the ...
ieeexplore.ieee.org/iel5/4197230/4197231/04197246.pdf - Similar pages
[More results from ieeexplore.ieee.org »](#)

EP1317159 Motorola european software patent - Authentication ...

The mobile terminal 1 is shown roaming, that is to say communicating through the codification 16 is a one-way hash function that is in conformity with ...
gauss.ffii.org/PatentView/EP1317159 - 47k - Cached - Similar pages

EP1364512 Siemens european software patent - Method and ...

The software is normally loaded by the mobile radio telephone, message 501 and the hash value also determined by the mobile communication terminal 101 ...
gauss.ffii.org/PatentView/EP1364512 - 71k - Cached - Similar pages
[More results from gauss.ffii.org »](#)

Data transfer verification based on unique ID codes - US Patent ...

3 shows a Mobile Terminal MT such as the phone 1 including MT Software 30 that The providing communication terminal, for example a software provider is ...
www.patentstorm.us/patents/6707915-description.html - 56k - Cached - Similar pages

[PPT] Mobile PKI

File Format: Microsoft Powerpoint - [View as HTML](#)

PKI on Mobile Terminal is called Wireless PKI or WPKI and sometimes Mobile PKI. certificate from CA and sends it along with signature hash to iD Server ...
www.oasis-open.org/events/adoptionforum2006/slides/saharanta.ppt - Similar pages

[PDF] Secure Billing For Mobile Information Services In UMTSFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Value-added. service provider. UMTS. service provider. Mobile will exist on EXODUS broadband terminal PCs. A software interface will exist ...

www.cosic.esat.kuleuven.be/publications/article-66.pdf - [Similar pages](#)[PDF] PROTECTION OF DOWNLOADABLE SOFTWARE ON SDR DEVICES Eimear Gallery ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

confidentiality and integrity of the software are protected. while it is in transit from the software provider to the SDR. terminal, and when it is on the ...

www.sdrforum.org/pages/sdr05/2.6%20Networking%20and%20Security%202/2.6-04%20Gallery%20et%20ai.pdf - [Similar pages](#)platformsdk security Sign with RsaCryptoService Provider Verify ...

Jul 15, 2007 ... Normally the signature should contain the hash algorithm identifier (to prevent replacing it with a much weaker hash), so I think the

www.eggheadcafe.com/software/aspnet/30318616/sign-with-rsacryptoservic.aspx - 30k - [Cached](#) - [Similar pages](#)Secure billing for mobile information services in UMTS

Mobile User, a Value-Added Service Provider. and. a Trusted Third Party. ... will exist on EXODUS broadband terminal PCs. A software interface will exist ...

www.springerlink.com/index/n054866287210854.pdf - [Similar pages](#)Title Index

... Connecting IPv6 Islands over IPv4 MPLS Using IPv6 Provider Edge Routers (6PE)

Mobile IP Network Access Identifier Extension for IPv4 · Mobile IP ...

dret.net/rfc-index/titles - 977k - [Cached](#) - [Similar pages](#)Im folgenden sind einige in der Vorlesung benutzte Abkürzungen ...

... Mobile services Switching Centre MT Mobile Terminal MVNO Mobile Virtual Network Operator ... 7 SSID Service Set Identifier SSL Secure Socket Layer SSRC ...

user.informatik.uni-goettingen.de/~elanmk/mobkomII/material/ws0708/Glossar_2008.txt - 12k - [Cached](#) - [Similar pages](#)[doc] Proposed draft to the Second International distributed conference ...File Format: Microsoft Word - [View as HTML](#)

the communication structure is fixed: the mobile terminal sends a card ... UIM and an authentication token AUTHN which is a hash code of the session key: ...

www.esat.kuleuven.ac.be/cosic/aspect/papers/netint.doc - [Similar pages](#)Digital Signatures in Mobile Commerce

Hash functions are used for this. A hash is a kind of unique checksum for the ... Name of owner (surname and given name) and unique identifier (eletronic ID, ...

www.tml.tkk.fi/Opinnot/Tik-110.501/2000/papers/jokinen.html - 27k - [Cached](#) - [Similar pages](#)S - JUNOS 9.1 Glossary

SHA-1 — Secure Hash Algorithm 1. A secure hash algorithm standard defined in between the ISDN provider service and the customer terminal equipment. ...

www.juniper.net/techpubs/glossary/s.html - 44k - [Cached](#) - [Similar pages](#)[PDF] &File Format: PDF/Adobe Acrobat - [View as HTML](#)

performing a hash algorithm on component identi-. ers of the device to generate an international mobile. software terminal identifier (IMSTI) and ...

<https://publications.european-patent-office.org/PublicationServer/getpdf.jsp?cc=EP&pn=1791378&ki=A1> - [Similar pages](#)

[PDF] [Mobile Packet Data Service \(USB\)](#)

File Format: PDF/Adobe Acrobat

(no subscriber number is sent to the Net provider). Note! Hash # may be omitted on some ...
R-LES only, i.e. the terminal will not be connected to ...

[www.workanywhere.net/productpricing/MPDS_USB.pdf](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

mobile and terminal and software and provider and hash and identifier

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)